

SAFETY DATA SHEET Halar 6514

1. Identification

Product identifier

Product name Halar 6514

Product number HALAR-6514-25KG

Recommended use of the chemical and restrictions on use

Application Industrial use.

Uses advised againstThis product is designed for use by technically competent persons. Any use of this product,

other than for its stated use, should not be attempted without expert review.

Details of the supplier of the safety data sheet

Supplier Kurt J Lesker Company

Manufacturer Kurt J Lesker Company

1925 Route 51

Jefferson Hills, PA 15025

+1 412-387-9200

Kurt J Lesker Company LTD

United Kingdom Austin House Sidney Little Road

Churchfields Industrial Estate

St Leonards on Sea, East Sussex, TN38 9PU, United Kingdom

Customer Service: +44 (0) 1424 458100

msds@lesker.com

Emergency telephone number

Emergency telephone Emergency Numbers

North America [USA, Canada, Mexico]: 1-866-519-4752

Mainland China: (+86) 4001 2001 74 Europe: {int'l call prefix}-1-760-476-3961 Asia Pacific: {int'l call prefix}-1-760-476-3960

Middle East & Africa: {int'l call prefix}-1-760-476-3959

South Korea: +080-880-0455 Philippines: (+63) 2 83953471

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Combustible Dust - USH01

Health hazards Resp. Sens. 1 - H334 Skin Sens. 1 - H317 Carc. 1B - H350

Environmental hazards Aquatic Acute 2 - H401

Label elements

Hazard symbols



Signal word Danger

Hazard statements USH01 May form combustible dust concentrations in air.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H350 May cause cancer. H401 Toxic to aquatic life.

Precautionary statements P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P284 In case of inadequate ventilation wear respiratory protection.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P308+P313 If exposed or concerned: Get medical advice/ attention.

P342+P311 If experiencing respiratory symptoms: Call a poison center/ doctor.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

Contains Cobalt Oxide (powder and pieces)

3. Composition/information on ingredients

Mixtures

1-chloro-1,2,2-trifluoroethene,ethene,3,3,3-trifluoro-2-

79%

(trifluoromethyl)prop-1-ene

CAS number: 54302-04-4

Cobalt Oxide 20%

CAS number: 1308-06-1

Cobalt Oxide (powder and pieces)

1.0%

CAS number: 1307-96-6

Composition comments *The exact percentage withheld as a trade secret in accordance with 29 CFR 1910.1200.

4. First-aid measures

Description of first aid measures

Inhalation Move affected person to fresh air at once. If breathing stops, provide artificial respiration. If in

doubt, get medical attention promptly. Keep affected person under observation. Remove affected person from source of contamination. Symptoms of lung edema (shortness of breath)

may develop up to 24 hours after exposure.

Ingestion Get medical attention if a large quantity has been ingested. Never give anything by mouth to

an unconscious person.

Halar 6514

Skin Contact Remove contamination with soap and water or recognized skin cleansing agent. In case of

possible exposure to degradation products, use suitable respiratory protection. If calcium gluconate gel is available, rub it into affected skin. Consult a physician for specific advice.

Eye contact Continue to rinse for at least 15 minutes and get medical attention.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

Most important symptoms and effects, both acute and delayed

Intritating to respiratory system. May cause coughing and difficulties in breathing. Headache.

Consult a physician for specific advice.

Ingestion This is unlikely to occur but symptoms similar to those of ingestion may develop.

Skin contact Irritating to skin. Powder may irritate skin. Prolonged contact may cause redness, irritation and

dry skin.

Eye contact Continue to rinse for at least 15 minutes and get medical attention.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing

media

None known.

Special hazards arising from the substance or mixture

Hazardous combustion

products

Corrosive gases or vapors. Hydrogen chloride (HCI). Hydrogen fluoride (HF).

Advice for firefighters

Protective actions during

firefighting

Evacuate area. Keep upwind to avoid inhalation of gases, vapors, fumes and smoke. No action shall be taken without appropriate training or involving any personal risk. Avoid dust formation. Based on available knowledge of this material, it has been determined to be non-hazardous and will not pose a risk to persons or the environment in its provided form.

However, any cutting, welding, melting, grinding, or use for deposition will produce dust, fume, or particulates containing component elements of this material. Exposure to these

components may present significant health hazards. Note: Fine particulate may be a combustible dust which, when dispersed in air, may present an explosion hazard.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be

taken without appropriate training or involving any personal risk.

Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the

aquatic environment.

Methods and material for containment and cleaning up

Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13. Avoid generation and spreading of dust. Avoid spreading dust or contaminated materials.

Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

7. Handling and storage

Precautions for safe handling

Usage precautions

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers. Static electricity and formation of sparks must be prevented. Ground/bond container and receiving equipment. Dust may form explosive mixture with air.

Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Provide eyewash station and safety shower.

Conditions for safe storage, including any incompatibilities

Storage precautions

Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Avoid dust formation. Do not store near heat sources or expose to high temperatures.

Storage class

Chemical storage.

8. Exposure controls/Personal protection

Ingredient comments

No exposure limits known for ingredient(s).

Exposure controls

Protective equipment





Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Dust-resistant, chemical splash goggles. Wear tight-fitting, dust-resistant, chemical splash goggles if airborne dust is generated.

Halar 6514

Hand protection Wear protective gloves. The most suitable glove should be chosen in consultation with the

glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with OSHA 1910.138 and be demonstrated to be impervious to the chemical and resist degradation. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected.

Frequent changes are recommended.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Wash hands thoroughly after handling. Wash at the end of each work shift and before eating,

smoking and using the toilet. Do not eat, drink or smoke when using this product.

Respiratory protection Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH

approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with OSHA 1910.134. Full face mask respirators with replaceable filter cartridges should comply with OSHA 1910.134. Half mask and quarter mask respirators with replaceable filter cartridges should comply with OSHA 1910.134.

Environmental exposure

controls

Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Solid. Powder.

Color Black.

Odor Odorless.

Odor threshold Not available.

pH Not applicable.

Melting point 220°C/428°F

Initial boiling point and range Not applicable.

Flash point Not applicable.

Evaporation rate Not applicable.

Flammability (solid, gas) The product is not flammable.

Upper/lower flammability or

explosive limits

Data lacking.

Other flammability May form combustible dust concentrations in air.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Bulk density > 1.65 g/cm³

Solubility(ies) Insoluble in water.

Partition coefficient Data lacking.

Halar 6514

Auto-ignition temperature Not applicable.

Decomposition Temperature 300°C/572°F

Viscosity Not applicable.

Explosive properties Dust may form explosive mixture with air.

Oxidizing properties Does not meet the criteria for classification as oxidizing.

Molecular weight Not available.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability Stable at normal ambient temperatures and when used as recommended.

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur. Based on available knowledge of this material, it has been determined to be non-hazardous and will not pose a risk to persons or the environment in its provided form. However, any cutting, welding, melting, grinding, or use for deposition will produce dust, fume, or particulates containing component elements of this material. Exposure to these components may present significant health hazards. Note: Fine particulate may be a combustible dust which, when dispersed in air, may present an explosion hazard.

Conditions to avoid Avoid heat, flames and other sources of ignition.

Materials to avoid Alkali metals. Avoid contact with flammable/combustible materials. Oxidizing agents. Strong

acids.

Hazardous decomposition

products

Hydrogen chloride (HCI). Hydrogen fluoride (HF). Phosgene (COCI2). The release of other

hazardous decomposition products is possible.

11. Toxicological information

Information on toxicological effects

Acute toxicity - oral

 Notes (oral LD₅₀)
 Acute Tox. 4

 ATE oral (mg/kg)
 50,000.0

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitization

Respiratory sensitization Resp. Sens. 1B

Skin sensitization

Skin sensitization Skin Sens. 1 - H317

Halar 6514

Germ cell mutagenicity

Genotoxicity - in vitro Positive.

Genotoxicity - in vivoBased on available data the classification criteria are not met.

Carcinogenicity

IARC carcinogenicity IARC Group 2B Possibly carcinogenic to humans.

NTP carcinogenicity Not listed.

OSHA Carcinogenicity Not listed.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

development

Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposureNot classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

Summary Causes damage to organs (Respiratory system, lungs) through prolonged or repeated

exposure if inhaled.

STOT - repeated exposure STOT RE = Specific target organ toxicity-repeated exposure

Target organs Respiratory system, lungs

Aspiration hazard

Aspiration hazard Not relevant.

12. Ecological information

Ecotoxicity The product contains a substance which is toxic to aquatic organisms and which may cause

long-term adverse effects in the aquatic environment.

Acute aquatic toxicity

Acute toxicity - fish Not available.

Acute toxicity - aquatic

invertebrates

Not available.

Acute toxicity - aquatic plants Not available.

Acute toxicity - EC₅₀, 30 hour: 120 mg/l, Activated sludge microorganisms EC₀, 30 hour: 3.73 mg/l, Activated sludge

Acute toxicity - terrestrial Not available.

Chronic aquatic toxicity

Summary No data available.

Persistence and degradability

Persistence and degradability No data available.

Phototransformation No significant reaction in water.

Biodegradation Not applicable.

Substance is inorganic.

Bioaccumulative potential

Halar 6514

Bio-Accumulative Potential No data available on bioaccumulation.

Partition coefficient Data lacking.

Mobility in soil

Mobility Mobile.

Adsorption/desorption

coefficient

Highly mobile.

Other adverse effects

Other adverse effects Not available.

13. Disposal considerations

Waste treatment methods

General information The generation of waste should be minimized or avoided wherever possible. Reuse or recycle

products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product

residues and hence be potentially hazardous.

Disposal methods Dispose of waste via a licensed waste disposal contractor.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, DOT).

Road transport notes Not regulated.

Rail transport notes Not regulated.

Sea transport notes Not regulated.

Air transport notes Not regulated.

DOT transport notesNot regulated.

UN Number

UN No. (International) Not applicable.

UN proper shipping name

Proper shipping name

(International)

Not applicable.

Transport hazard class(es)

Transport Labels (International)

No transport warning sign required.

Transport labels

No transport warning sign required.

DOT transport labels

No transport warning sign required.

Packing group

Packing group (International) Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Nο

Special precautions for user

Not applicable.

DOT TIH Zone Not applicable.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed or exempt.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed or exempt.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed or exempt.

SARA 313 Emission Reporting

Present

Some of the ingredients are listed or exempt.

CAA Accidental Release Prevention

None of the ingredients are listed or exempt.

FDA - Essential Chemical

None of the ingredients are listed or exempt.

FDA - Precursor Chemical

None of the ingredients are listed or exempt.

SARA (311/312) Hazard Categories

Combustible Dust Respiratory or skin sensitization Carcinogenicity

OSHA Highly Hazardous Chemicals

None of the ingredients are listed or exempt.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

WARNING



This product can expose you to Cobalt Oxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 Labelling

WARNING This product can expose you to Cobalt Oxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Air Toxics "Hot Spots" (A-I)

None of the ingredients are listed or exempt.

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed or exempt.

California Directors List of Hazardous Substances

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

None of the ingredients are listed or exempt.

Rhode Island "Right To Know" List

None of the ingredients are listed or exempt.

Label Prop 65 data

Minnesota "Right To Know" List

None of the ingredients are listed or exempt.

Pennsylvania "Right To Know" List

Some of the ingredients are listed or exempt.

New Jersey "Right To Know" List

Some of the ingredients are listed or exempt.

Inventories

EU - EINECS/ELINCS

All the ingredients are listed or exempt.

Canada - DSL/NDSL

Some of the ingredients are listed or exempt.

US-TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

Australia - AICS

All the ingredients are listed or exempt.

Japan - ENCS

All the ingredients are listed or exempt.

Korea - KECI

All the ingredients are listed or exempt.

China - IECSC

All the ingredients are listed or exempt.

Philippines - PICCS

Some of the ingredients are listed or exempt.

New Zealand - NZIOC

All the ingredients are listed or exempt.

Taiwan - TCSI

All the ingredients are listed or exempt.

16. Other information

Revision date 6/30/2022

Revision 2

Supersedes date 6/29/2022

SDS No. 5998

Hazard statements in full H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H350 May cause cancer. H401 Toxic to aquatic life.

USH01 May form combustible dust concentrations in air.

End of SDS